

Express Mail No.: EV 869861559 US  
Date of Deposit: October 30, 2006



Page 1 of 4  
Attorney Docket No.: 17810-518

Please type a plus sign (+) in this box ☐

PTO/SB (12-97)  
Approved for use through 9/30/00. OMB 0651-0031  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Modified Form 1448/PTO				Application Number		10/649,234	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)				Filing Date		August 27, 2003	
				First Named Inventor		Uchida	
				Group Art Unit		1649	
				Examiner Name		Robert Clinton Hayes	
				Attorney Docket Number		17810-518	
<b>U.S. PATENT DOCUMENTS</b>							
Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate
<b>U.S. PUBLISHED APPLICATION DOCUMENTS</b>							
Exam Initials	Cite No.	U.S. Published Application No.	Published Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate
<b>FOREIGN PATENT DOCUMENTS</b>							
Exam Initials	Cite No.	Foreign Patent Document Office Number	Name of Patentee(s) or Applicant(s)		Date of Publication	Translation Yes No	
<b>OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS</b>							
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.					
/R.H./	C4	Allendoerfer et al., "Forse-1, an antibody that labels regionally restricted subpopulations of progenitor cells in the embryonic central nervous system, recognizes the Le <sup>x</sup> carbohydrate on a proteoglycan and two glycolipid antigens", <i>Mol. Cell. Neurosci.</i> , 6:381-395 (1995)					
	C5	Allendoerfer et al., "Morphological domains of Lewis-X/FORSE-1 immunolabeling in the embryonic neural tube are due to developmental regulation of cell surface carbohydrate expression", <i>Dev. Biol.</i> , 211:208-219 (1999)					
	C6	Ashwell et al., "Developmental expression of the CD15 epitope in the hippocampus of the mouse", <i>Cell Tissue Res.</i> , 289(1):17-23 (1997)					
	C7	Bach et al., "Stem cells: the intestinal stem cell as a paradigm", <i>Carcinogenesis</i> , 21(3):469-476 (2000)					
	C8	Bartsch et al., "Distribution of the 3-fucosyl-N-acetyl-lactosamine (FAL) epitope in the adult mouse brain", <i>Cell Tissue Res.</i> , 263:353-366 (1991)					
	C9	Bird et al., "Oligosaccharides containing fucose linked $\alpha(1-3)$ and $\alpha(1-4)$ to N-acetylglucosamine cause decompaction of mouse morulae", <i>Dev. Biol.</i> , 104(2):449-460 (1984)					
	C10	Calaora et al., "mCD24 expression in the developing mouse brain and in zones of secondary neurogenesis in the adult", <i>Neuroscience</i> , 73(2):581-594 (1996)					

/R.H./	C11	Campos-Ortega, J.A., "Genetic mechanisms of early neurogenesis in drosophila melanogaster", <i>Mol. Neurobiol.</i> , 10:75-89 (1995)
	C12	Cao et al., "Pluripotent stem cells engrafted into the normal or lesioned adult rat spinal cord are restricted to a glial lineage", <i>Exp. Neurol.</i> , 167(1):48-58 (2001)
	C13	Chiasson et al., "Adult mammalian forebrain ependymal and subependymal cells demonstrate proliferative potential, but only subependymal cells have neural stem cell characteristics", <i>J. Neurosci.</i> , 19(11):462-4471 (1999)
	C14	Davis et al., "A self-renewing multipotential stem cell in embryonic rat cerebral cortex", <i>Nature</i> , 372:263-266 (1994)
	C15	Dodd et al., "Cell surface glycoconjugates and carbohydrate-binding proteins: possible recognition signals in sensory neurone development", <i>J. Exp. Biol.</i> , 124:225-238 (1986)
	C16	Doetsch et al., "Subventricular zone astrocytes are neural stem cells in the adult mammalian brain", <i>Cell</i> , 97(6):703-716 (1999)
	C17	Doetsch et al., "Regeneration of a germinal layer in the adult mammalian brain", <i>Proc. Natl. Acad. Sci. USA</i> , 96(20):11619-11624 (1999)
	C18	Dvořák et al., "Embryoglycan ectodomains regulate biological activity of FGF-2 to embryonic stem cells", <i>J. Cell Sci.</i> , 111(19):2945-2952 (1998)
	C19	Fox et al., "Immunohistochemical localization of the early embryonic antigen (SSEA-1) in postimplantation mouse embryos and fetal and adult tissues", <i>Dev. Biol.</i> , 83(2):391-398 (1981)
	C20	Gage, F.H., "Mammalian neural stem cells", <i>Science</i> , 287:1433-1438 (2000)
	C21	Gocht et al., "CD15-containing glycoconjugates in the central nervous system", <i>Histol. Histopathol.</i> , 11:1007-1028 (1996)
	C22	Gomperts et al., "Interactions between primordial germ cells play a role in their migration in mouse embryos", <i>Development</i> , 120:135-141 (1994)
	C23	Gooi et al., "Stage-specific embryonic antigen involves α1-3 fucosylated type 2 blood group chains", <i>Nature</i> , 292:156-158 (1981)
	C24	Gould et al., "Neurogenesis in the neocortex of adult primates", <i>Science</i> , 286:548-552 (1999)
	C25	Gritti et al., "Multipotential stem cells from the adult mouse brain proliferate and self-renew in response to basic fibroblast growth factor", <i>J. Neurosci.</i> , 16(3):1091-1100 (1996)
	C26	Gritti et al., "Multipotent neural stem cells reside into the rostral extension and olfactory bulb of adult rodents", <i>J. Neurosci.</i> , 22(2):437-445 (2002)
	C27	Hakomori, S., "Le <sup>x</sup> and related structures as adhesion molecules", <i>Histochem. J.</i> , 24(11):771-776 (1992)
	C28	Jessell et al., "Carbohydrates and carbohydrate-binding proteins in the nervous system", <i>Annu. Rev. Neurosci.</i> , 13:227-255 (1990)
	C29	Jirmanova et al., "O-linked carbohydrates are required for FGF-2-mediated proliferation of mouse embryonic cells", <i>Int. J. Dev. Biol.</i> , 43(6):555-562 (1999)
	C30	Johansson et al., "Identification of a neural stem cell in the adult mammalian central nervous system", <i>Cell</i> , 96(1):25-34 (1999)
	C31	Jones et al., "Stem cell patterning and fate in human epidermis", <i>Cell</i> , 80(1):83-93 (1995)
✓	C32	Kato et al., "Physiological degradation converts the soluble syndecan-1 ectodomain from an inhibitor to a potent activator of FGF-2", <i>Nat. Med.</i> , 4(6):691-697 (1998)

/R.H./	C33	Kawaguchi et al., "Nestin-EGFP transgenic mice: visualization of the self-renewal and multipotency of CNS stem cells", <i>Mol. Cell. Neurosci.</i> , 17(2):259-273 (2001)
	C34	Kempermann et al., "Genetic influence on neurogenesis in the dentate gyrus of adult mice", <i>Proc. Natl. Acad. Sci. USA</i> , 94(19):10409-10414 (1997)
	C35	Kondo et al., "Oligodendrocyte precursor cells reprogrammed to become multipotential CNS stem cells", <i>Science</i> , 289:1754-1757 (2000)
	C36	Laywell et al., "Identification of a multipotent astrocytic stem cell in the immature and adult mouse brain", <i>Proc. Natl. Acad. Sci. USA</i> , 97(25):13883-13888 (2000)
	C37	Lois et al., "Proliferating subventricular zone cells in the adult mammalian forebrain can differentiate into neurons and glia", <i>Proc. Natl. Acad. Sci. USA</i> , 90:2074-2077 (1993)
	C38	Mai et al., "Demarcation of prosencephalic regions by CD15-positive radial glia", <i>Eur. J. Neurosci.</i> , 10(2):746-751 (1998)
	C39	Marani et al., "A longitudinal band-pattern for the monoclonal human granulocyte antibody B <sub>4</sub> in the cerebellar external granular layer of the immature rabbit", <i>Histochem.</i> , 78(2):157-161 (1983)
	C40	Marani et al., "Stage specific embryonic carbohydrate surface antigens of primordial germ cells in mouse embryos: FAL (S.S.E.A.-1) and globoside (S.S.E.A.-3)", <i>Acta Morphol. Neerl.-Scand.</i> , 24(2):103-110 (1986)
	C41	Marmur et al., "Isolation and developmental characterization of cerebral cortical multipotent progenitors", <i>Dev. Biol.</i> , 204:577-591 (1998)
	C42	Milev et al., "The core protein of the chondroitin sulfate proteoglycan phosphacan is a high-affinity ligand of fibroblast growth factor-2 and potentiates its mitogenic activity", <i>J. Biol. Chem.</i> , 273(34):21439-21442 (1998)
	C43	Morrison et al., "Regulatory mechanisms in stem cell biology", <i>Cell</i> , 88(3):287-298 (1997)
	C44	Morrison et al., "Prospective identification, isolation by flow cytometry, and in vivo self-renewal of multipotent mammalian neural crest stem cells", <i>Cell</i> , 96(5):737-749 (1999)
	C45	Morshead et al., "Neural stem cells in the adult mammalian forebrain: a relatively quiescent subpopulation of subependymal cells", <i>Neuron</i> , 13(5):1071-1082 (1994)
	C46	Muramatsu, T., "Cell surface glycoproteins: biochemical, immunological and molecular biological studies", <i>Nagoya J. Med. Sci.</i> , 57:95-108 (1994)
	C47	Nowakowski et al., "New neurons: extraordinary evidence or extraordinary conclusion?", <i>Science</i> , 288:771a-773a (2000)
	C48	Palmer et al., "The adult rat hippocampus contains primordial neural stem cells", <i>Mol. Cell. Neurosci.</i> , 8(6):389-404 (1997)
	C49	Palmer et al., "Vascular niche for adult hippocampal neurogenesis", <i>J. Comp. Neurol.</i> , 425(4):479-494 (2000)
	C50	Reynolds et al., "Oligodendroglial progenitors labeled with the O4 antibody persist in the adult rat cerebral cortex in vivo", <i>J. Neurosci. Res.</i> , 47(5):455-470 (1997)
✓	C51	Raynolds et al., "Generation of neurons and astrocytes from isolated cells of the adult mammalian central nervous system", <i>Science</i> , 255:1707-1710 (1992)

/R.H./	C52	Rietze et al., "Purification of a pluripotent neural stem cell from the adult mouse brain", <i>Nature</i> , 412:736-739 (2001)
	C53	Sakakibara et al., "Mouse-rnashi-1, a neural RNA-binding protein highly enriched in the mammalian CNS stem cell", <i>Dev. Biol.</i> , 176:230-242 (1996)
	C54	Seaberg et al., "Adult rodent neurogenic regions: the ventricular subependyma contains neural stem cells, but the dentate gyrus contains restricted progenitors", <i>J. Neurosci.</i> , 22(5):1784-1793 (2002)
	C55	Solter et al., "Monoclonal antibody defining a stage-specific mouse embryonic antigen (SSEA-1)", <i>Proc. Natl. Acad. Sci. USA</i> , 75(11):5565-5569 (1978)
	C56	Suhonen et al., "Differentiation of adult hippocampus-derived progenitors into olfactory neurons in vivo", <i>Nature</i> , 383:624-627 (1996)
	C57	Tole et al., "FORSE-1: a positionally regulated epitope in the developing rat central nervous system", <i>J. Neurosci.</i> , 15(2):957-969 (1995)
	C58	Uchida et al., "Direct isolation of human central nervous system stem cells", <i>Proc. Natl. Acad. Sci. USA</i> , 97(26):14720-14725 (2000)
	C59	Weiss et al., "Multipotent CNS stem cells are present in the adult mammalian spinal cord and ventricular neuroaxis", <i>J. Neurosci.</i> , 16(23):7599-7609 (1996)
	C60	Winkler et al., "Incorporation and glial differentiation of mouse EGF-responsive neural progenitor cells after transplantation into the embryonic rat brain", <i>Mol. Cell. Neurosci.</i> , 11(3):99-116 (1998)
↓	C61	Yamamoto et al., "Fucose-containing glycolipids are stage- and region-specific antigens in developing embryonic brain of rodents", <i>Proc. Natl. Acad. Sci. USA</i> , 82:3045-3049 (1985)

\* a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. \_\_\_\_\_, filed \_\_\_\_\_, and relied upon for an earlier filing date under 35 U.S.C. §120 (continuation, continuation-in-part, and divisional applications).

Examiner Signature	/Robert Hayes/	Date Considered	05/24/2007
-----------------------	----------------	--------------------	------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.